

*Entries show Technote numbers (in brackets) followed by page numbers*

## A

- acid anionic disinfectants (7):5
    - concentration (7):11
  - Actinomyces pyogenes* see *Arcanobacterium pyogenes*
  - Adverse Experience Reporting Program (7):4
  - advisory team (13):3–5
    - data collection tips during milking-time tests and observations (13):14–15
    - developing farm plan to eradicate *Strep ag* with the farm team (FAQ Sheet) *Strep ag* 10–12
    - general approach to investigating a mastitis problem (13):6–13, 16–29
    - investigating a *Strep agalaciae* problem (FAQ Sheet) *Strep ag* 4–9
    - providing a clear written report (13):30–1
  - air leakage (25):5
  - alkalinity (7):9
  - AMMTA guidelines on sizing of milklines (25):10–11
  - AMMTA milking machine dry test (13):10, 24–5, (25):2, 4–5
  - AMMTA milking machine report (25):4–5
    - carrying out recommendations from (25):12
  - AMMTA milking machine technician
    - advice (13):2
    - testing, servicing and upgrading by (22):3, (25):2–3
  - annual mastitis control activities (22):1–3
  - annual review, Countdown Downunder records (24):1–2
  - antibiotic residues
    - in meat or milk (3):2, 3, (4):20–1, (21):3
    - testing for (4):21–2, (FAQ Sheet) *Strep ag* 9
  - antibiotic treated cows
    - discard milk from all quarters of (4):22
    - identification (4):17
  - antibiotic treatment of subclinical infections during lactation (FAQ Sheet) *Strep ag* 8–9
  - antibiotic violations (4):21
  - antibiotic withholding periods see withholding periods
  - antibiotics
    - administration (4):14
    - milk-to-plasma ratios (4):10–11
    - off-label use (4):16
    - published cure rates (4):11
    - resistance (4):15
    - selection (4):9–13
    - susceptibility testing (4):8
    - use of full course (4):15
  - Arcanobacterium pyogenes* (1):1
    - characteristics (1):4, 5
    - identification (9):11
    - survival (4):6
  - aspirin (4):13
  - attaching clusters (5):10
  - Australian Breeding Value, for cell count (23):1
  - Australian Dairy Herd Improvement Scheme (FAQ Sheet) Herd improvement organisations
  - Australian Mastitis Advisory Council (Introduction) 3
- ## B
- Bacillus cereus* (1):1
    - characteristics (1):4, (1):5
  - bacterial attributes, and treatment failure (4):23
  - bacterial identification (4):5–8
    - methods (FAQ Sheet) Bacterial identification
  - bacterial infections of teat skin (9):11
  - bacterial penetration of teat canal, mechanisms preventing (9):2–3
  - bacterial resistance to disinfectants (7):5, 6
  - Bactoscan (FAQ Sheet) Vat milk tests
  - bedding materials (1):6–7
  - bismuth subnitrate (FAQ Sheet) Teat sealants 1–2
  - blackspot (6):4
    - causes and control (FAQ Sheet) Blackspot identification (9):11
  - Blanket Dry Cow Treatment (14):2, 3, (17):3, (FAQ Sheet) Teat sealants 4–6
    - and *Strep ag* (FAQ Sheet) *Strep ag* 7
    - and *Strep uberis* (14):4
  - bloat oil (7):15
  - bobby calf meat, withholding period (3):2, (4):20–1, (FAQ Sheet) Withholding periods 2
  - bought cows, milking last (21):3–4
  - bovine herpes mammillitis (9):10, (FAQ Sheet) Bovine herpes mammillitis
  - bovine papilloma virus (9):10, (FAQ Sheet) Teat warts
  - bovine papular stomatitis (FAQ Sheet) Pseudocowpox
  - Bulk Milk Cell Counts (BMCC) (4):1, (8):4, (10):1, (FAQ Sheet) *Strep ag* 2
    - checking for undetected clinicals (11):6
    - checking reports (11):3–4
    - economics of diverting milk from the vat (12):6–7
    - estimating level of mastitis using (11):2
    - factory field officer/veterinary advice (11):5, (12):6
    - history, buying cows (21):2
    - monitoring (11):1–6, (13):2
  - bulk-tank milk cultures (FAQ Sheet) Vat milk tests
  - buying cows (21):1–4
    - Bulk Milk Cell Count history (21):2
    - individual cow cell counts (21):3
    - udder checks (21):3
  - buying heifers, before first calving (21):1
- ## C
- calf meat, withholding period (3):2, (FAQ Sheet) Withholding periods 2
  - calving, and teat sealants (FAQ Sheet) Teat sealants 8
  - calving areas (1):6
  - calving pads (1):6
  - canola oil (7):15
  - cell count history report (12):4
  - chapped teats (9):7, 13
  - chlorhexidine (7):5, 6, 13
    - concentration (7):11
  - chlorine (7):9
  - ‘Chux’ towels (5):6
  - claw vacuum (13):14, 15, (25):8–9
  - cleaning-time tests (25):3
  - clinical mastitis (10):1–3
    - case rate (13):2
    - case record analysis (13):11, 26
    - checking ‘suspect cows’ (10):2
    - clots on milk filter (10):1
    - cost of (4):1–2, (12):6–7
    - detection through foremilk stripping (4):3, (5):4–5, (FAQ Sheet) *Strep ag* 8
    - during drying-off (18):2
    - early detection (4):1
    - freshly calved cows (4):3
    - hygiene (FAQ Sheet) *Strep ag* 6
    - record keeping (4):18–19
    - use of separate cluster (8):5
  - clinical quarters
    - checking in suspect cows (10):2
    - options when there is no response to treatment (4):24–5
    - reasons for failure to respond to treatment (4):23
    - stripping out completely, drying-off cows (18):2
  - clots
    - checking suspect cows for (10):2
    - on milk filter (10):1
  - clusters (25):5
    - alignment (13):13, 28
    - attaching (5):10
    - components compatibility (25):6
    - detaching (5):10
    - disinfection (8):3, 5
      - use separate for clinical mastitis cows (8):5
    - coagulase negative staphylococci (4):7, (7):5
    - coliform bacteria (1):1–5, (27):2
    - colostrum, depletion in milk after calving (3):5
    - colostrum milk, withholding from vat (3):1, 4–5
    - completeness of milking (6):6, (13):13, 28
    - conductivity of milk (5):5, (FAQ Sheet) Cow-side mastitis test 2
  - contagious mastitis bacteria, characteristics (5):2
  - Corynebacterium bovis*, disinfectant resistance (7):5
  - Corynebacterium bovis* infection (7):2
  - Corynebacterium pyogenes* see *Arcanobacterium pyogenes*
  - Countdown Adviser Short Course (13):1
  - Countdown Downunder Farm Presentation Kits (Introduction) 5
  - Countdown Downunder Farmer Short Course (13):3
  - Countdown Downunder Mastitis Investigation Pack (13):1, 5–13
    - case example (13):16–29

Clinical Cases (13):11, 26  
 Cluster Alignment (13):13, 28  
 Completeness of Milking (13):13, 28  
 Cow Behaviour (13):12, 28  
 Cup Slips (13):11, 26  
 Environmental checklist (13):13, 29  
 Farm Profile (13):7, 20–2  
 Herd Mastitis Dynamics Chart (13):6, 19  
 Individual Cow Cell Counts (13):9, 23  
 Investigation Master Sheet (13):6, 16–19  
 Milk Cultures (13):8, 23  
 Milking Machine Dry Test (13):10, 24–5, 30  
 Milking Routines (13):11, 26  
 Milking Time per Cow (13):12, 28  
 Performance Tests of Milking Machines (13):10, 25  
 recording problems and actions taken (13):30–1  
 Teat Condition (13):11, 27  
 Teat Disinfectant (13):13, 29  
 Teat Size (13):13  
 Countdown Downunder mastitis model (7):2  
 Countdown Downunder project (Introduction) 3–4  
 Countdown Downunder records (24):1–2  
 Countdown Downunder team (Introduction) 6  
*Countdown Downunder Technotes* (Introduction) 1–2  
 keeping up-to-date (Introduction) 8  
 usage (Introduction) 7  
 Countdown-L discussion group (Introduction) 8  
 Countdown performance test reports (25):6  
 checking the effectiveness of vacuum regulation (25):7  
 ensuring compatibility of cluster components (25):6  
 measuring the claw vacuum (25):8–9  
 measuring vacuum stability in milkline and receiver (25):0  
 summary guidelines (25):10  
 cow-associated mastitis (1):1  
 cow behaviour (5):3, (13):12, 15, 28  
 and machine function (6):4–5  
 cow meat, withholding period (3):2, 3, (4):20, (FAQ Sheet) Withholding periods  
 cow-side mastitis tests (FAQ Sheet) Cow-side mastitis tests 1–4  
 cow tracks (27):2  
 cowpox (FAQ Sheet) Pseudocowpox 1  
 cracked teats (9):7, 13  
 cull cow meat, withholding period (3):2, 3, (4):20, (FAQ Sheet) Withholding periods 1–2  
 culling  
 chronically infected cows (4):25, (12):8  
 cows with high cell counts in two consecutive lactations (15):2  
 cows with three clinical cases in current lactation (15):1  
 cultures *see* milk cultures  
 cups *see* teatcups

## D

daily checks, machine function (6):3  
 dairy areas, cleaning and renovating (27):2  
 dairy product quality, immunoglobulin effects (3):4  
 dairy water quality (5):7, (7):9–12  
 data collection during milking-time tests (13):14–15  
 dead-end milklines (5):10  
 defence mechanisms, teat canal (9):1–3  
 detaching clusters (5):10  
 dexamethasone (1):10  
 dipping of teats (7):1, 17, 18  
 dirty teats, washing of (5):6  
 diverting milk from the vat (12):6–7  
 drafting out clinical cases (8):4  
 drainage system (27):2  
 drinking quality water (7):9  
 drug  
 inappropriate choice of (4):23  
 obstructed from reaching infection site (4):23  
*see also* antibiotics  
 Dry Cow Treatment (14):1–6  
 active ingredients (14):5  
 administration (17):1–4  
 based on ICCC analysis (12):8, (14):3, 5, (17):3, (FAQ Sheet) Teat sealants 4–5  
 cow identification methods (4):17, (FAQ Sheet) Teat sealants 4  
 cure rates (15):1  
 identification of herds at risk of infection during dry period (FAQ Sheet) Teat sealants 6  
 not to be used with lactating cows (4):10, 24  
 purchase and storage (14):6  
 re-treatment of cows that become clinical at drying-off (18):2  
 record keeping (17):4  
 restrict cow movement to limit milk and antibiotic leakage (17):4  
 strategy (14):2–3, (17):2, (FAQ Sheet) Teat sealants 4–6  
*Strep ag* herds (FAQ Sheet) *Strep ag* 7  
 teat sealant usage (FAQ Sheet) Teat sealants 4–6  
 udder marking (17):3  
 use expected calving dates to list drying-off dates (14):1  
 veterinary advice (14):5  
 withholding periods (3):1–3, (FAQ Sheet) Withholding periods 1–2  
 dry period  
 observe cows weekly (19):1  
 teat sealant protection (FAQ Sheet) Teat sealants 1–3  
 dry teats, milking of (5):6  
 dry tests, milking machines (13):10, 24–5, (25):2  
 reports (25):4–5  
 summary of guidelines (25):5

drying-off  
 as soon as a cow's production reaches 5 L or less per day (16):1  
 clinical mastitis during (18):2  
 diet manipulation (16):2, 4  
 don't leave cows in laneways of yards immediately after (16):3, (17):10  
 dry-off abruptly by not skipping milkings (16):3  
 infected quarters (4):24, (12):8  
 paddock suitability (16):3, (17):4  
 quarters permanently (4):25  
 reduce production to 12 L or less by drying-off date (16):2  
 select dates based on expected calving dates (14):1  
 using Drying Cow Treatment (12):8, (14):3–5

## E

economic penalties (12):16–17  
 electrical conductivity of milk (5): 5, (FAQ Sheet) Cow-side mastitis test  
 emollients (7):15, 16  
*Enterobacter aerogenes* (1):1  
 environmental checklist (13):13, 29  
 environmental exposure (1):1–11  
 environmental mastitis (1):1, (27):1–3  
 causative organisms (1):1–5  
 in induced cows (1):10  
*Escherichia coli* (1):1  
 characteristics (1):2, 3  
 mastitis endotoxaemia (1):10  
 somatic cell count, clinical mastitis (12):2  
 survival (4):6  
 treatment (4):12  
 Export Slaughter Interval (20):1

## F

factory field officer advice (13):2  
 Bulk Milk Cell Count problems (11):5, (12):6  
 falling teatcups (6):6–7  
 farm plan to eradicate *Strep ag* (FAQ Sheet) *Strep ag* 10–11  
 monitoring (FAQ Sheet) *Strep ag* 11  
 reviewing progress (FAQ Sheet) *Strep ag* 12  
 Farm Profile (13):7, 20–2  
 farm team (FAQ Sheet) *Strep ag* 10–11  
 feed pads (27):2  
 fencing (27):2  
 field test kits for teat disinfectants/water quality (7):10–11  
 filiform warts (FAQ Sheet) Teat warts  
 flag (2):1–2  
 flaming, udder (5):7  
 flinching, stepping or kicking ('FSK' response) (6):4  
 flow rate, milklines (5):10  
 flunixin meglumine (4):13  
 foot and mouth disease (9):10

foremilk stripping (5):4  
 in detecting clinical mastitis (4):3, (5):4–5  
 in reducing new infection rates (5):5  
 fresh cows (2):1–2  
 freshly calved cows  
 clinicals (4):1–26  
 finding and treating clinical cases in (4):3  
 milking out and checking (1):9  
 freshly calved heifers, mastitis in (1):8  
 fungal infections of teat skin (9):11  
*Fusiformis necrophorum*, identification (9):11

## G

gentamicin (4):9  
 geotextile fabrics (27):2  
 gloves  
 cleaning (8):3  
 types of (8):2–3  
 use of (8):1–2  
 glycerine (7):15–16  
 good milking technique and consistent routine  
 (5):1, (5):3

## H

hair contamination of udder (5):7  
 hands  
 skin reactions to disinfectants (26):2  
 washing of operators' (8):1  
 hard water (7):9  
 Hazard Analysis Critical Control Point  
 (HACCP) (FAQ Sheet) Quality assurance  
 programs 1  
 heifers  
 calving areas (1):6  
 mastitis in (1):8  
 training in milking area (2):1, (5):3  
 Herd Mastitis Dynamics Chart (13):6, 19  
 herd improvement organisations (23):2, (FAQ  
 Sheet) Herd improvement organisations 1–2  
 analysis of ICCO data (12):13  
 test day summaries (23):3–4  
 high bacterial counts  
 options for dealing with (12):8–10  
 troubleshooting (FAQ Sheet) Vat milk tests 3  
 human–animal interaction (5):3  
 hydrolysed linseed fatty acid (7):6  
 concentration (7):11  
 hygiene (8):1–5  
 HyMast (FAQ Sheet) Bacterial identification  
 hyperkeratosis (6):4, (9):8–9, 13  
 hypertonic saline (4):13

## I

identification methods, for treated cows (4):17,  
 (17):3  
 immunoglobulins (3):4  
 'impacts' (5):10  
 individual cow cell counts (ICCC) (4):3,  
 (11):2, 4, (12):1–14  
 analyses (13):9, 23  
 and Dry Cow Treatment (12):8, (14):3, 5,  
 (17):3 (FAQ Sheet) Teat sealants 4–5

and milk recording (23):1  
 benefits of using (12):3  
 buying cows (21):3  
 critical thresholds (12):4–5, (13):2  
 factory field officer/veterinary advice (12):6,  
 (13):8  
 feeding high cell count milk to calves  
 (12):10  
 linear scores (12):5  
 options for dealing with high cell counts  
 (12):8–10  
 scattergraph use (12):12  
 specialist analysis in Australia (12):13  
 treating individual cows during lactation  
 (12):9  
 watching for evidence of spread of infection  
 in the herd (12):11  
 induced cows, environmental mastitis in (1):10  
 infected cows, segregation of (FAQ Sheet)  
*Strep ag 6–7*  
 infected quarters, elimination of bacteria from  
 (FAQ Sheet) *Strep ag 7*  
 intramuscular antibiotics, administration (4):14  
 intramammary antibiotics (4):9–10  
 administration (4):14  
 withholding periods (FAQ Sheet)  
 Withholding periods 1–2  
 introduced cows, milking last (21):3–4  
 introduction policy (new animals to the herd)  
 (FAQ Sheet) *Strep ag 7*  
 Investigation Master Sheet (13):6, 16–19  
 iodine-based teat disinfectants (7):4–5  
 concentration (7):11  
 dilution (7):13–14  
 iodine milk residues (7):7 (FAQ Sheet) Iodine  
 milk residues 1–2, (FAQ Sheet) Pre-milking  
 teat disinfection 1–2.  
 iodophors (7):4–5  
 and iodine residues (FAQ Sheet) Iodine milk  
 residues 1–2  
 concentration (7):11  
 dilution (7):13–14  
 labels (7):13  
 iron compounds (7):10  
 isotonic intravenous fluid (4):13

## J

JETCAR report (4):15

## K

keratin (9):1, 2  
 kicks/steps ('KiSt response') (5):3, (6):4  
*Klebsiella* spp. (1):1

## L

laboratory testing, teat disinfectants/water  
 (7):11–12  
 Lactating Cow Treatment, withholding periods  
 (4):20–1, (FAQ Sheet) Withholding periods  
 1–2  
 lactating cows, treating individual (12):9  
 laneways (16):3, (17):10, (27):2  
 latex gloves (8):2

let-down *see* milk ejection reflex  
 liners *see* teatcup liners  
 Linmast (FAQ Sheet) Bacterial identification 1  
 long-acting corticosteroids (1):10  
 looped milklines (5):10

## M

machine function *see* milking machine  
 function  
 machine stripping (5):9  
 Maffra Herd Improvement Co-operative, test  
 day summary (23):3  
 mastitis  
 computer model (7):2  
 investigatory approach (13):4–13  
 running separate herd (8):4  
 types of (1):1  
 mastitis control  
 incorporation into quality assurance  
 program (FAQ Sheet) Quality assurance  
 programs 1–2  
 program planning (22):1–2  
 mastitis indexes, warning levels (13):2–3  
 mastitis infection  
 reducing spread (8):4  
 somatic cell response (12):1  
 spread of (5):1  
 warning levels (13):2  
 mastitis problem investigation  
 data collection tips during milking time tests  
 and observations (13):14–15  
 factors contributing to the problem (13):1  
 flow chart showing general approach (13):4  
 general approach (13):6–13, 16–29  
 problem definition (13):1  
 teat disinfection considerations (7):2  
*see also* Countdown Downunder Mastitis  
 Investigation Pack  
 mastitis treatments  
 clinical quarter fails to respond to treatment  
 (4):23–4  
 specific treatment (4):12  
 supportive treatment (4):12–13  
 mean claw vacuum (13):14, 15, (25):8–9  
 milk, withholding period (3):2, 3, (4):20, (FAQ  
 Sheet) Withholding periods 1–2  
 milk cultures (13):2, 8, 23  
 antibiotic susceptibility testing (4):8  
 collecting samples (4):5–6, (FAQ Sheet)  
*Strep ag 3*  
 costs (4):5  
 laboratory techniques (4):8  
 reasons for 'no growth' (4):8  
 storage and handling (4):6–7  
 milk ejection reflex (5):1, 3  
 milk filter, clots on (10):1  
 milk income, and high cell counts (12):6–7  
 milk quality assessment (FAQ Sheet) Vat milk  
 tests 1–2  
 milk recording (23):1–4  
 services (23):2  
 milk recording organisations *see* herd  
 improvement organisations

milk samples for culture (4):5  
 collection (4):6  
 sampling strategy (4):5–6  
 storage and handling of samples (4):6–7  
 milk splashes, avoidance of (8):1  
 milker's nodules (FAQ Sheet) Pseudocowpox 1  
 milking, completeness of (6):6  
 milking machine dry tests (13):10, 24–5,  
 (25):2  
 reports (25):4–5  
 summary of guidelines (25):5  
 milking machine function (6):1–2  
 and average milking times (6):5–6  
 and cow behaviour (6):4–5  
 and teat condition (6):3–4  
 checks (6):3–7, 8  
 milking machine technician (6):8  
 advice (13):2  
 Countdown performance tests (25):6–10  
 dry test reports (25):4–5  
 performance test reports (25):6–10  
 prioritising recommendations (25):12  
 testing, servicing and upgrading by (22):3,  
 (25):2–3  
 milking machine tests  
 dry tests (13):10, 25, (25):2, 4–5  
 performance tests (13):10, 25, (25):6–10  
 types of (25):2–3  
 wet tests (25):2–3  
 milking machines  
 carrying out technician's recommendations  
 (25):12  
 Countdown performance tests (25):6–10  
 full test at least once per year (25):1  
 performance tests (13):10, 25, (25):6–10,  
 (FAQ Sheet) *Strep ag* 5  
 testing, servicing and upgrading (25):1–12  
 milking routines, checklist (13):11, 26, (FAQ  
 Sheet) *Strep ag* 6  
 milking shed routine  
 good stockmanship (5):3  
 training heifers (2):1, (5):3  
 milking technique (5):1–13  
 milking-time tests (6):3–7, (13):12, 28, (25):3  
 getting the numbers right (13):14  
 teamwork for data collection (13):14–15  
 milklines  
 flow rate (5):10  
 sizing of, AMMTA guidelines (25):10–11  
 vacuum regulation (25):7  
 vacuum stability (13):14, 15, (25):9  
 Minimum Dry Period (18):2 (FAQ Sheet)  
 Withholding periods 1–2  
 monthly checks, machine function (6):3, 7  
 muddy udders, fixing areas that contribute to  
 (9):15, (27):1–3  
*Mycoplama bovis*, identification (FAQ Sheet)  
 Bacterial identification 2

## N

National Herd Improvement Association of  
 Australia (FAQ Sheet) Herd improvement  
 organisations 1  
 National Mastitis Council (26):2  
 National Registration Authority (7):3–4, 15  
 iodophor and chlorhexidine labels (7):13  
 nitrile gloves (8):2  
*Nocardia* spp. (1):1  
 characteristics (1):4, 5  
 nodular warts (FAQ Sheet) Teat warts

## O

observing cows, during dry period (19):1  
 occupational health (7):7, (26):2  
 off-label drug use (4):16, 21  
 ointments (teat health) (9):16  
 openness of teat orifice after milking (9):6–7  
 operators, checking teat spraying technique  
 (7):19  
 operators' hands  
 skin reactions to disinfectants (7):7, (26):2  
 washing of (8):1  
 Orbeseal (FAQ Sheet) Teat sealants 1  
 organic matter (in water) (7):9  
 over milking (5):11–12, (6):4  
 oxytocin (4):12–13, 24, (5):3

## P

pathogens  
 laboratory isolation and identification (4):7  
 survival during refrigeration or freezing  
 (4):6–7  
 penethamate hydroiodide (4):10, 11  
 penicillin G (4):10  
 petechial haemorrhages (6):4, (9):8  
 pH of milk (FAQ Sheet) Cow-side mastitis test  
 phenylbutazone (4):9, 13  
 photosensitisation of teats (FAQ Sheet) Teat  
 photosensitisation 1–2  
 phylloerythrin (FAQ Sheet) Teat  
 photosensitisation 1  
 polymerase chain reaction (FAQ Sheet)  
 Bacterial identification 2, (FAQ Sheet) *Strep  
 ag* 11  
 post-milking teat disinfection (7):1–20  
 aims (7):1  
 and iodine residues (FAQ Sheet) Iodine milk  
 residues 1–2  
 'potable' water (7):9  
 power dippers (7):18  
 pre-milking teat disinfection, use of (FAQ  
 Sheet) Pre-milking teat disinfection 1–2  
 professional advice (13):1–31  
 Prostaph (FAQ Sheet) Bacterial identification 1  
 pseudocowpox infection (9):10, (FAQ Sheet)  
 Pseudocowpox 1  
*Pseudomonas aeruginosa* (1):1, (16):3  
 characteristics (1):4, 5  
 disinfectant resistance (7):5  
 pulsation system (25):5  
 pulsator airlines (25):5  
 purchased cows, milking last (21):3–4

## Q

quality assurance program (FAQ Sheet) Quality  
 assurance programs 1–4  
 quarter milkers (12):9

## R

Rapid Mastitis Test (12):8, (FAQ Sheet) Cow-  
 side mastitis test 1  
 recommended daily dietary allowance for  
 iodine (FAQ Sheet) Iodine milk residues 1–2  
 registered teat disinfectant products (7):3  
 residual milk (5):11  
 ringworm (9):11  
 rubber gloves (8):2

## S

salicylates (4):13  
 scattergraphs (12):12  
 Seasonal Approach to Mastitis Management  
 (SAMM plan) (18):1  
 segretating high cell count cows (8):3, (FAQ  
 Sheet) *Strep ag* 6–7  
 Selective antibiotic Dry Cow Treatment (14):3,  
 (17):3, (FAQ Sheet) Teat sealants 4–5  
 selling cows, withholding periods (20):1  
*Serratia marcescens*, disinfectant resistance  
 (7):5  
*Serratia* spp. (1):1  
 slipping teatcups (6):6–7, (13):11, 26  
 somatic cell count  
 factors affecting (12):2–3  
 in clinical/subclinical mastitis (12):1, 2  
 somatic cells (3):4, (11):1, 2  
 sorbitol (7):  
 spraying of teats (7):1, 17–18  
*Staph aureus*  
 and Dry Cow Treatment (14):5  
 antibiotic cure rates (4):11  
 as subclinical infection (12):1, 2  
 characteristics (5):2  
 identification (9):11, (FAQ Sheet) Bacterial  
 identification 1–2  
 management in heifers (12):9  
 post-milking teat disinfection effects (7):1  
 pre-milking teat disinfection effects (FAQ  
 Sheet) Pre-milking teat disinfection 1  
 somatic cell count, subclinical mastitis  
 (12):2  
 survival (4):6, 7  
 treatment (4):12  
*Strepagalactiae* (13):2, (FAQ Sheet) Vat milk  
 tests 1  
 advisory team investigation (FAQ Sheet)  
*Strep ag* 5–9  
 and antibiotic Dry Cow Treatment (14):5,  
 (FAQ Sheet) Teat sealants 5  
 antibiotic cure rates (4):11  
 bacteria, elimination from infected quarters  
 (FAQ Sheet) *Strep ag* 7  
 characteristics (5):2  
 control (7):17  
 describing the present problem (FAQ Sheet)  
*Strep ag* 2

- eradication from herds (FAQ Sheet) *Strep ag* 1–13  
 identification (9):11, (FAQ Sheet) Bacterial identification 2  
 laboratory diagnosis (FAQ Sheet) *Strep ag* 3  
 management in lactating cows (12):9  
 milk culture results (FAQ Sheet) *Strep ag* 3  
 policy (FAQ Sheet) *Strep ag* 7–8  
 post-milking teat-disinfection effects (7):1  
 stopping spread of infection from cow-to-cow (FAQ Sheet) *Strep ag* 57  
 survival (4):6, (FAQ Sheet) *Strep ag* 1  
 treatment (4):12  
 treatment of subclinical infections during lactation (FAQ Sheet) *Strep ag* 8–9
- Strep dysgalactiae* (1):1  
 identification (FAQ Sheet) Bacterial identification 2  
 survival (4):6
- Strep uberis* (FAQ Sheet) Vat milk tests, (1):1  
 and Blanket antibiotic Dry Cow Treatment (14):4, (FAQ Sheet) Teat sealants 5  
 characteristics (1):2, 3  
 identification (FAQ Sheet) Bacterial identification  
 monitoring (FAQ Sheet) *Strep ag* 11  
 post-milking teat disinfection effects (7):1  
 pre-milking teat disinfection effects (FAQ Sheet) Pre-milking teat disinfection  
 reviewing progress (FAQ Sheet) *Strep ag* 12  
 selection of cows for milk cultures (13):8, (FAQ Sheet) *Strep ag* 3  
 segregating high cell count cows (8):3, (FAQ Sheet) *Strep ag* 6–7  
 stopping spread from cow-to-cow (FAQ Sheet) *Strep ag* 5–7  
 survival (4):6  
 treatment (4):12
- stripping, foremilk (5):4  
 in detecting clinical mastitis (4):3, (5):4–5  
 in reducing new infection rates (5):5
- stripping, machine (5):9
- subclinical mastitis (12):1–2  
 antibiotic treatment during lactation (FAQ Sheet) *Strep ag* 8–9
- surface drainage system (27):2
- suspect cows, checking quarters for clots (10):2
- swelling and hardness  
 at or near teat base (9):5–6  
 at or near teat end (9):
- swollen quarters, checking (4):3
- systemic antibiotics (4):10–11
- T**
- Tasmanian Dairy Industry Authority, test day report (23):4
- tea tree oil (7):15
- teamwork during milking-time tests and observations (13):14–15
- teat abnormalities, prevalence (9):13
- teat barrel, disinfection (7):1
- teat base, swelling at or near (9):5–6
- teat canal  
 defence mechanisms (9):1–3  
 structure (9):1–2
- Teat Club International (9):4, 8
- teat colour (9):5
- teat condition (9):4–14, (13):2, 11, 27, (13):14  
 and machine function (6):3–4  
 due to infectious agents (9):10–11  
 interpreting the results (9):13–15  
 making the observations (9):12–15  
 medium-term or long-term changes (9):7–9  
 milking-induced and environmental effects(9):4–10  
 primary causes of exacerbating influences (9):14–15  
 scoring system (9):9  
 short-term changes (9):5–7  
 systematic evaluation (9):12–15
- teat cup *see* teatcup
- teat dipping (7):1, 17, 18  
 clean out dip cup as dip gets low (7):20
- teat disinfectants  
 active ingredients (7):4–6  
 addition of emollients to (7):15  
 bacterial resistance (7):5, 6  
 checks (13):13, 29  
 dilution (7):13–14  
 effectiveness (7):7  
 field test kits (7):10–11  
 highest quality water for mixing (7):9–12, 13  
 inappropriate for hands and equipment (8):3  
 laboratory testing (7):11–12  
 mix a fresh batch every day (7):8  
 preparation and application (FAQ Sheet) *Strep ag* 5  
 price per cow (7):7  
 product registration (7):3  
 ready-to-use products (7):8  
 registered by National Registration Authority (7):3–4  
 reporting adverse experiences with products (7):4  
 selection on farms (7):7  
 shelf life (7):7  
 suitability for a given farm water quality (7):7  
 testing the final mix (7):10–12  
 unregistered products (7):3
- teat disinfection (7):1–20  
 checking operator technique (7):19  
 following Dry Cow Treatment (17):3  
 review (26):2  
 spray or dip whole surface (7):17–18
- teat end (9):4  
 defence mechanisms (9):1  
 firmness at or near (9):6  
 sanitising of (17):3  
 wedge-shaped after milking (9):6
- teat end condition (9):8–9  
 scoring system (9):9
- teat end hyperkeratosis (6):4, (9):8, 13  
 major risk factors (9):8  
 scoring system (9):9
- teat end scores (9):9
- teat firmness (9):6
- teat hardness (9):6
- teat ointments, avoidance of (9):16
- teat orifice, openness after milking (9):6–7
- teat photosensitisation (FAQ Sheet) Teat photosensitisation 1–2
- teat seal (16):3, (18):1
- teat sealants (FAQ Sheet) Teat sealants 1–8  
 advantages of treating cows with sealants and antibiotics (FAQ Sheet) Teat sealants 7  
 consequences of inadvertently treating infected cows (FAQ Sheet) Teat sealants 7  
 effects on tests for inhibitory substances (FAQ Sheet) Teat sealants 8  
 herds benefiting in their dry cow strategy (FAQ Sheet) Teat sealants 4–6  
 how they work (FAQ Sheet) Teat sealants 1–3  
 importance of good hygiene at administration (FAQ Sheet) Teat sealants 6  
 managing residual teat sealant at calving (FAQ Sheet) Teat sealants 8  
 persistence (FAQ Sheet) Teat sealants 7
- teat skin  
 bacterial infections (9):11  
 chemical irritation (9):7, 8  
 disinfection (7):1  
 fungal infections (9):11  
 reaction to disinfectants (7):7, (26):2  
 viral infections (9):10
- teat skin condition (7):15–16  
 evaluation (9):4, 7  
 infectious agent changes (9):10–11  
 milking induced or environmental changes (9):4–9
- teat size (13):13
- teat sores (9):1–18  
 veterinary advice (9):16
- teat spray units, checking (7):18, (26):1
- teat spraying (7):1, 17–18  
 checking operator technique (7):19
- teat swelling (9):5–6
- teat warts (9):10, (FAQ Sheet) Teat warts 1
- teatcup crawl (5):11, (9):6, 16
- teatcup liners (FAQ Sheet) Liners 1–6  
 barrel size (FAQ Sheet) Liners 4–5  
 changing to a different type of liner (FAQ Sheet) Liners 4–5  
 characteristics (FAQ Sheet) Liners 3  
 checks (6):9  
 effective length (6):10, (FAQ Sheet) Liners 5  
 replacement (6):8–9, (FAQ Sheet) Liners 2–3  
 slippage (6):6–7  
 stiffness of liner mouthpiece lip (FAQ Sheet) Liners 5
- teatcup slip (6):6–7, (13):11, 26
- teatcups (6):6–7  
 placement on clean, dry teats (5):6–7  
 placement when teats become plump with milk (5):8  
 putting cups on (5):10  
 taking cups off (5):10
- Teatseal (FAQ Sheet) Teat sealants 1

testing of milking machines (25):1–12  
thermoduric counts (FAQ Sheet) Vat milk tests 2–3  
'three teaters' (17):3  
total plate counts (FAQ Sheet) Vat milk tests 2–3  
tracks (27):2  
*Trichophyton* spp., identification (9):11  
troubleshooting  
  milk quality problems (FAQ Sheet) Vat milk tests 3  
  team approach (13):1–31  
two-year-old cows, severe udder oedema (2):1–2

## U

udder checks  
  dry cows (18):1  
  when buying cows (21):3  
udder flaming (5):7  
udder oedema (2):1–2, (6):4  
udder washing practices (5):6  
under milking (5):11  
uninfected cows, identification in low prevalence herds (FAQ Sheet) Teat sealants 4  
unregistered teat disinfectants (7):3

## V

vacuum levels (25):5  
vacuum regulation, efficiency of (25):7  
vacuum stability, milklines (13):14, 15, (25):9  
vascular damage (to teats) (9):8  
vat check (3):1–5  
vat milk monitoring (FAQ Sheet) *Strep ag* 11  
vat milk tests (FAQ Sheet) Vat milk tests 1–3  
vesicular stomatitis (9):10  
veterinary advice (13):2  
  analysis of ICCC data (12):13  
  antibiotic selection (4):9–13  
  Bulk Milk Cell Count problems (11):5, (12):6  
  Dry Cow Treatment selection (14):5, (FAQ Sheet) Teat sealants 4–6  
  off-label drug use (4):16, 21  
  selection of cows for milk cultures (13):8, (FAQ Sheet) *Strep ag* 3  
  teat sores (9):16  
  *see also* advisory team  
vinyl gloves (8):2  
viral infections of the teat (9):10

## W

warning levels (Farm Guideline 13), implications of (13):2  
warts (FAQ Sheet) Teat warts 1  
washing dirty teats (5):6  
water quality (5):7, (7):9–12  
  characteristics that alter effectiveness of teat disinfectants (7):9–10  
  for mixing teat disinfectant (7):7  
  field testing/laboratory testing (7):10–12  
water sources, and quality (7):10  
water testing, (7):10–11  
watering points (27):2  
weekly checks, machine function (6):3  
wet teats, milking of (5):6  
wet tests, milking machines (25):2–3  
'white oils' (7):15  
withholding periods  
  Dry Cow Treatment (FAQ Sheet)  
  Withholding periods 1–2  
  for calf meat (FAQ Sheet) Withholding periods 1–2  
  for cull cow meat (FAQ Sheet) Withholding periods 1–2  
  for milk (FAQ Sheet) Withholding periods 1–2  
  Lactating Cow Treatment (FAQ Sheet)  
  Withholding periods 1–2  
  selling cows (20):1  
written report  
  from advisory team (13):30–1  
  from milking machine technician (25):4–11